


Est. 2002 | Vol. 5







QS products was created as a joint venture in 2002 by Andrew Osborne-Young and Martin Humphry to supply the South African market with affordable stainless steel ironmongery and reasonably priced door controls.

The signature range of stainless steel door handles is supported by a full complement of stainless steel accessories, locks, cylinders, hinges, and hydraulic door controls. All products are covered by a 5-year warranty and are available on an ex-stock basis. The overhead, surface mounted, door controls have a full fire certification for all applications. We have sold more than a million units since conception.

QS is one of the largest suppliers of stainless steel ironmongery in South Africa and in 2022 celebrated its 20-year anniversary.

QS DISTRIBUTION MAP

- 1. Malawi
- 2. Zambia
- 3. Zimbabwe
- 4. Botswana
- 5. Namibia
- 6. South Africa
- 7. Mauritius and Indian Ocean islands

6	30	64	114
lever handles	coupé handles	pull handles	door controls
28	36	78	134
knob handles	residence lock	locks	panic hardware
	38	86	140
	pvd range	cylinders	bathroom accessories
	48	92	150
	black range	hinges	access control
ntents	58	98	154
	origine range	accessories	contact details

plates + escutcheons

ESCUTCHEONS + ROSES















QS4403

QS4472

QS4473

QS4402 flush

QS4403 flush

QS4472 flush

QS4473 flush





2mm profile







QS4427 QS4405

QS4407


QS4499.COM

with tamper proof lugs for commercial projects

QS4493

male and female screws

PLATES





CYL 254x50x60mm

CYL 254x50x85mm

QS4484 KH 245x45x57mm CYL 245x45x60mm CYL 245x45x85mm

QS4483

KH 245x36x57mm CYL 245x36x60mm CYL 245x36x85mm



 \circ

0

QS4429

KH 225x40x57mm CYL 225x40x60mm CYL 225x40x85mm



QS4428

CYL 225x28x85mm



QS4489

KH 200x48x57mm 190x100mm 170x100mm 170x170mm















QS4487 QS4486 QS4485

CYL 200x48x60mm supplied with supplied with Q\$2205/1 Q\$2203/1

QS4485


with WC indicator





COMMERCIAL ROSE + ESCUTCHEON


The combination of the QS heavy duty handle and .com roses are designed for high traffic commercial buildings and will stand up to the most physically demanding situations. Tested to 250 000 cycles.


- 1. 0.2mm increase in material thickness over market standard
- 2. Threaded lug for bolt through fitting, essential on self-closing doors
- 3. Circular satin finish on rose and escutcheon
- 4. Tamper-proof fixed locating lugs for added security and to assist in accurate fitting and a firm feel to the handle


















KARIS Form handle Available in PVD Available in black

SALO


Form handle Available in PVD


Available in black











FLORO Form handle



NARVICK Form handle Available in black





Available in black








LUND Form handle

















MOSS Form handle

23







Square handle

Available in black

Square handle



QS3805 Knob handle





QS3810 Rotating knob handle






QS3815 Knob handle






QS3820 Knob handle






QS3825 Knob handle







coupé handles









COUPÉ OSLO





COUPÉ UMEA





COUPÉ OULU





COUPÉ INARI





COUPÉ VAASA

COUPÉ SOLNA

150x40x57mmKH 150x40x60mmCYL Coupé handles available on all QS back plates or roses with escutcheons in keyhole or cylinder. Ø 16mm diameter

150x40x57mmKH 150x40x60mmCYL

coupé locksets





COUPÉ NAMSOS





COUPÉ KIRUNA

150x40x57mmKH 150x40x60mmCYL Coupé handles available on all QS back plates or roses with escutcheons in keyhole or cylinder. Ø 16mm diameter












All locksets include QS5757J/2L










PVD (Physical Vapour Deposition) is an environmentally-friendly coating process carried out under a vacuum and, in most cases, at temperatures between 150 and 500°C. In the PVD process the high purity, solid coating material (metals such as titanium, chromium and aluminium) is either evaporated by heat or by sputtering (bombardment with ions). At the same time, a reactive gas such as nitrogen is added; it forms a compound with the metal vapour which is deposited on the tools or components as a thin, highly adherent coating. A uniform coating thickness – six times stronger than electroplating – is obtained by rotating the parts at a constant speed about several axes.

pvd range



pvd range





T HANDLE Back-to-back

	D	С	L
QS2503	22	125	200
QS2507	30	300	400









RIGA

SKIEN



MORA







QS1102SB 40mm



QS1108SB / SINGLE

Knob cylinder 40mm



QS1103SB 60mm **QS1104SB** 66mm **QS1105SB** 70mm

QS1109SB 80mm



QS1108SB Knob cylinder 66mm

The full QS6055 series is available in PVD including latch, roller + deadbolt

pvd range



QS4412/1

150x100x3mm

QS4412/2

180x100x3.5mm

QS4412/3

200x100x3.5mm

QS4412/4

230x100x3.5mm



QS4415

100x76x3mm

QS4417

100x76x2mm



QS700DA/2

EN1154 fire rated
Delayed-action
5 year warranty
Also available in a sta

Also available in a standard QS700 and QS750



QS4413 Ring pull 63x44mm



QS4426 Ring pull 48x38mm



QS6001Adjustable rollerbolt



QS4418 Oval flush pull 120x40mm



QS4419 Flush pull 102x51mm



QS4422 Hooded door stop







QS4410 Coin release WC thumbturn



QS4467Door viewer







Handles and plates sold separately



MITRED T-HANDLE

D C L QS2701 30 500 600



T-HANDLE

D C L QS2507 30 300 400



SQUARE SECTION HANDLE

D C L QS2622 19 300 319



FALON D-HANDLE

QS2604 25 300 325



PELLO HANDLE

D C L QS2627 - 225 250



QS4415Grade 13 hinge 100x76x3mm



QS4419 102x51mm



QS4422 Door stop



QS4462
Floor mounted magnetic door stop







QS1108 66mm

QS1103 60mm

QS1104 66mm

QS1102 40mm



QS680/4 EN1154 fire rated 5 year warranty



QS700DA/4EN1154 fire rated Delayed-action
5 year warranty

Door closers available with QS7703/1 slide channel



origine range



ARLES



MELLE



RODEZ







SALERS
Handle supplied with KH escutcheons



BELLAC



BELLAC PEUTER

origine range



QS1801 Door knocker



QS1804/1 Oval pull



QS1802 Door latch



QS1804/2 Rectangular pull




QS1804/3 Oval pull




QS1803 Door bolt



QS1804/4 Rectangular pull



pull handles



T HANDLE

Back-to-back (also available in BoltThru)

D	С	L
30	400	500
25	350	500
22	125	200
30	200	300
30	300	400
25	900	1070
30	1200	1800
	30 25 22 30 30 25	30 400 25 350 22 125 30 200 30 300 25 900



CRANKED T HANDLE

Back-to-back

D C L QS2703 30 150 400



MITRED T HANDLE

Back-to-back

	D	С	L
QS2701	30	500	600
QS2702	25	350	400





SQUARE MITRED T HANDLE

Back-to-back

D C L QS2704 25 300 375



pull handles



OVAL T HANDLE

Back-to-back


D C L QS2631 38x19 400 500



OFFSET OVAL T HANDLE

Back-to-back

D C L QS2632 38x19 400 500





S HANDLE

Back-to-back

	D	С	L
QS2901	25	400	600
QS2902	30	400	600



C HANDLE

Back-to-back


D C L QS2401 32 350 382



SEMI C HANDLE

Back-to-back

D C L QS2801 30 350 420



D HANDLE

Back-to-back

Also available in BoltThru

D C L
QS2201 30 300 330
QS2203 19 130
QS2204 19 200



CRANKED D HANDLE

Back-to-back


D C L
QS2301 30 300 330
QS2206 25 190



CRESCENT HANDLE

Back-to-back
Also available in BoltThru


D C L QS2205 19 150



OBLONG SECTION HANDLE

Back-to-back

	D	С	L
QS2611	10x20	225	265
QS2612	10x20	300	340
QS2613	10x20	450	490
QS2614	10x20	600	640



ROUND SECTION HANDLE

Back-to-back

	D	С	L
S2601	30	425	455
S2602	25	300	325



SQUARE SECTION HANDLE

Back-to-back

	D	С	L
QS2621	19	225	244
QS2622	19	300	319
QS2623	19	450	469
QS2624	19	600	619




FALON HANDLE

Back-to-back

	D	С	L
QS2604	25	300	325







Back-to-back

D C L QS2620 40x20 600 620



Back-to-back

D C L QS2627 - 225 250



CRANKED ROUND SQUARE HANDLE

Back-to-back

D C L QS2603 30 350 380



CRANKED SQUARE D HANDLE


Back-to-back

D C L QS2705 25 300 325














locks




QS6055/1

Latch + deadbolt 55mm backset 60mm centre



QS6055/3

Adjustable rollerbolt + deadbolt 55mm backset 60mm centre




127mm



Stainless steel forend

QS5757


Stainless steel forend - three lever 57mm backset 57mm centre



*QS5757A available with 170mm forend

QS5757/1

Cylinder latch lock + deadbolt 57mm backset 60mm centre






QS6010

Rebate kit









QS6057/4

Cylinder deadbolt 57mm backset



QS5757/5


Bathroom lock for 8mm spindle 57mm backset 57mm centre



QS6000

Key insert with two keys for use with any Euro profile lock








locks
















Adjustable rollerbolt with stainless steel catch Also available in satin brass






QS5757/2 two lever 57mm backset 57mm centre






QS6002 Spring bolt






locks












QS6235 Hook lock 35mm backset



170mm



QS8535

Narrow style lock 35mm backset 85mm centre

QS8535/1


Latch + deadbolt

QS8535/3

Rollerbolt + deadbolt

QS8535/4

Deadbolt





QS0025 Deadbolt

Deadbolt 25mm backset









Deadbolt 35mm backset







S





SINGLE CYLINDER

QS1102SN QS1102A 40mm



OVAL EMERGENCY KNOB CYLINDER

QS1108SN/EM

66mm



OVAL KNOB SINGLE CYLINDER

QS1108SN SINGLE

40mm



MASTERKEYED PADLOCK

QS1111SS

- For use with all QS masterkeyed and keyed alike cylinders
- 304 grade stainless steel
- 50mm body with 10mm shackle
- Double bolted



CYLINDERS


QS1104SN QS1103SN QS1104A QS1103A 66mm 60mm

QS1109SN QS1105SN 80mm 70mm



OVAL KNOB CYLINDER

QS1108SN QS1108A 66mm




- Standard cylinders supplied with two keys
- Keyed alike cylinders supplied with one key per cylinder
- Masterkeyed cylinders supplied with two keys per cylinder and two master keys
- SN satin nickel
- A Elemental

Lead times for masterkeyed cylinders are 10-15 working days. All orders smaller than 10 will be 5 working days or less.


91

MASTER KEY SYSTEMS

Each key can open its individual door, the general key can open all the doors




DOMESTIC KEYED-ALIKE WITH STAFF KEY



KEYED ALIKE


The key can open all the doors




key management series


APARTMENT SYSTEMS

Each key can open the public door, passage door and its own individual door



COMPLEX MASTERKEY SYSTEMS





CE RATED BS2002:1935 FOR THE QS4415



DIGIT 2 DURABILITY

Grade 3: 10 000 test cycles, for light duty hinges on windows only Grade 4: 25 000 test cycles for light duty hinges on windows and doors

Grade 7: 200 000 test cycles, for medium, heavy and severe duty hinges on doors only

DIGIT 6 CORROSION RESISTANCE

Grade 0: no resistance
Grade 1: mild resistance
Grade 2: moderate resistance
Grade 3: high resistance
Grade 4: very high resistance

DIGIT 4 FIRE SUITABILITY

Grade 0: not suitable for fire/smoke resistant door assemblies

Grade 1: suitable for fire/smoke resistant door assemblies

DIGIT 8 HINGE GRADE

Grade 1: 10 000 test cycles / 10kg
Grade 2: 10 000 test cycles / 20kg
Grade 3: 25 000 test cycles / 20kg
Grade 4: 200 000 test cycles / 20kg
Grade 5: 10 000 test cycles / 40kg
Grade 6: 25 000 test cycles / 40kg
Grade 7: 200 000 test cycles / 60kg
Grade 8: 10 000 test cycles / 60kg
Grade 9: 25 000 test cycles / 60kg
Grade 10: 200 000 test cycles / 60kg
Grade 11: 200 000 test cycles / 80kg
Grade 12: 200 000 test cycles / 100kg
Grade 13: 10 000 test cycles / 120kg



QS4415

100x76x3mm European CE rated and stamped



QS4417 100x76x2mm

Certificate available on request 97



QS4412/1

100x150x3mm

QS4412/2

100x180x3.5mm

QS4412/3

100x200x3.5mm

QS4412/4

100x230x3.5mm

150mm and 180mm also available in 316 stainless steel



QS4441

100x76.5x2mm



QS4416

100x100x3mm



QS4440

102x76x2mm Available in left hand or right hand



QS4439

100x76x3mm Single action spring hinge Three hinges for doors up to 40kg





QS4433

200mm rod 500mm rod 1000mm rod



QS4448

QS4448/4 Cranked 80mm QS4448/3 Cranked 150mm



QS4451

QS4451/1 203mm QS4451/2 305mm



QS4431

QS4431/1 76mm QS4431/2 102mm QS4431/3 178mm QS4431/4 300mm



QS4411

QS4411/1 150mm QS4411/2 200mm QS4411/3 250mm QS4411/4 300mm



QS4443

QS4443/1 150mm QS4443/2 300mm



QS4448

QS4448/1 100mm QS4448/2 150mm



QS4425

QS4425/1 60mm QS4425/2 80mm



Dust excluding socket





QS4461

Foot operated door bolt



QS4422

Hooded door stop Ø 42mm Available in PVD Available in black



QS4435

Solid coat hook



QS4421

Round door stop Ø 30mm



QS4436

Solid coat hook



QS4423

Wall mounted coat hook and door stop



QS4434

Door stop and coat hook



QS4420

Wall mounted door stop



QS4462

Floor mounted magnetic door stop Available in black



QS4413

Ring pull 63x44mm Available in PVD



QS4463

Wall mounted magnetic door stop



QS4426

Ring pull 48x38mm Available in PVD



QS4464

Wall mounted handle buffer Ø 30mm




QS4414

Ring pull 50mm



QS4449

QS4449/1 100mm QS4449/2 150mm QS4449/4 200mm



QS4494

Draught excluder 832mm length



QS4430

Security door guard 106x60mm





QS4466

Oval door bell 64x30mm



QS4602

Casement fastener with mortice keep Ø 14mm



QS4465

Round door bell Ø 52mm



QS4603

Hook plate for casement fastener



QS4468

Door viewer Ø 35mm | 200° views



QS4604

Oulu window handle Ø 19mm



QS4418 Oval flush pull 120x40mm



QS4419 Flush pull 102x51mm Available in PVD



QS4459Round flush pull
QS4459/1 Ø 50mm
QS4459/2 Ø 90mm



QS4453
Rectangular flush pull with oval pull 120x40mm




QS4450 Rectangular flush pull 85x38mm



QS4457Round flush pull
QS4457/1 Ø 50mm
QS4457/2 Ø 65mm



QS4452 Inclined rectangular flush pull 128x82mm



QS4455Square flush pull
QS4455/1 50X50mm
QS4455/2 70X70mm



QS4478
Demi pull handle 85x36.3mm



QS4451/1 Square flush pull





QS4410Coin release WC thumbturn
Available in PVD





QS4477 Square WC thumbturn





QS4409

WC thumbturn Suitable for disabled toilets





QS4488

Square WC thumbturn





QS4479

WC thumbturn Suitable for disabled toilets





QS4445

Surface mounted WC indicator bolt Zinc alloy





QS4408

WC thumbturn Suitable for disabled toilets





QS4446

Surface mounted WC indicator bolt Stainless steel



QS4501 WC signage 75mm diameter



QS4507 WC signage 75mm diameter



QS4502WC signage 75mm diameter



QS4508 WC signage 75mm diameter



QS4505 WC signage 75mm diameter



QS4509 WC signage 75mm diameter



QS4506WC signage 75mm diameter



QS4512 WC signage 106mm height



QS4503 WC signage 100x100mm



QS4511 WC signage 106mm height



QS4504 WC signage 100x100mm





QS4510 WC signage 110x78mm height


QS custom makes stainless steel door plates to specified sizes for each project. We offer kick plates, push plates or armour plates to protect your door from marring or damage.



Kick plate


















All doorplates are available with square or round anti-snag edging.





The attractive profile of the QS680 combined with a high traffic, heavy duty 5 year warranty makes it the most versatile, cost effective closer on the market. Add the stainless steel designer cover and its not out of place in the most prestigious location.







Bracket for opposite hinge installation



Stainless steel cover



QS680

- For doors up to 1100mm 80kg
- 5 year warranty
- EN1154 Fire rated
- Suitable for exterior use
- Latching and dampening action
- Suitable for very high traffic
- Stainless steel cover available
- Silver, gold, dark brown and black available

QS690V

- For doors up to 1250mm 120kg
- 5 year warranty
- EN1154 Fire rated
- Suitable for exterior use
- Latching and dampening action
- Suitable for very high traffic
- Spring strength adjustable



The classic design of the QS700 together with the various optional stainless steel covers and arms create the most versatile range of door closers on the market.



Side arm and channel installation



Bracket for opposite hinge installation



QS700

- For doors up to 1100mm 100kg
- 5 year warranty
- EN1154 Fire rated
- Suitable for exterior use
- Latching and dampening action
- Stainless steel covers available
- Silver, black, gold and dark brown available
- QS700DA delayed action for disabled access available

- For doors up to 1250mm 120kg
- 5 year warranty
- EN1154 Fire rated
- Suitable for exterior use
- Latching and dampening action
- Stainless steel covers available
- Silver, gold and dark brown available







Classic cover Retro cover

Smooth cover

































Nm 50 40 30 20 10 Opening — Closing —

The QS920 rack and irregular cam-shaped pinion door closer combines features of rack and pinion and cam action closers to work comfortably with the aesthetically preferred slide channel and with a high degree of flexibility when setting the control cycle.


The irregular cam-shaped pinion adjusts the gearing of the lever system within the closer so that as the spring compresses the resistance decreases. Because the piston moves further along the chamber than in the cam action system, more dampening fluid flows through the control valves creating an easy to adjust and forgiving door closer.

The QS920 can be used on either side of the door without any additional brackets.

QS920

- For doors up to 1100mm 80kg
- 5 year warranty
- EN1154 Fire rated
- Non-handed
- 180° opening
- Power adjustable after installation
- Latching and dampening action
- Stainless steel cover optional
- Non-hold open standard, hold open options available

*Image pictured with stainless steel cover





Irregular cam-shaped pinion



Classic cover
















door controls




QS970

- For doors up to 1100mm 80kg
- 5 year warranty
- Latching and back check
- Hold open standard but removable
- Suitable for high traffic areas






door closer accessories



QS7702

Glass door shoe


For the installation of the door closer to all-glass doors (max. 10mm glass thickness)




QS7708/A

Parallel arm bracket

For the installation of the arm assembly parallel to the door frame






QS7704

Drop plate


For fixing when the door closer cannot be installed directly onto the door frame




QS7708/B

Parallel arm bracket

For the installation of the arm assembly parallel to the door frame






QS7705

Angle bracket


For transom fixing of the door closer on the push side in case of a deep lintel of the door




QS7709

Arm adapter plate

For the installation of the arm assembly to a particularly narrow door frame







QS7710

Mounting backplate

For the installation of the door closer on fireproof and smoke control doors







QS761

The **QS761** door co-ordinator for double rebated doors is used to ensure that the doors close in the right sequence.

Can be used in a variety of configurations – magnetic hold open with emergency release or simply on self closing doors. The above picture shows our **QS760EST** combined with **QS700** for a discrete hold open facility with smoke detector.

Door closers sold separately.







Mounting bracket

door controls

DOOR SELECTORS

It Is mandatory for double rebated fire escape doors to be equipped with a door sequence selector. This ensures that each leaf feeds correctly into each other, reliably preventing the spreading of smoke and fire. QS can provide you with a number of solutions to best suit your installation requirements.





The **QS760ET** is an electromagnetic hold-open door closer for use with a centrally controlled fire control system. 24 volt DC.



The **QS760EST** is a stand-alone electromagnetic hold-open closer with a built in smoke detector, all that is required is a 24 volt DC current. Doors will be held open until smoke is detected at which time they will revert to self-closing. Ideal for remote doors that are not part of a larger fire control system.



Q760ET / QS760EST

- For doors up to 1450mm 120kgs
- 5 year warranty
- Variable spring strength for on-the-door adjustment
- Input voltage 24 DC
- 180° open angle
- Stainless steel cover




















QS768Floor mounted electromagnetic doorstop






QS767Wall mounted electromagnetic door holder







QS767/1 QS767/2 QS767/3


Receiver plate extensions

The **QS860** is a hard-working, reliable and affordable floorspring for all standard doors weighing up to 100kgs

QS860

- For doors ranging from 750 850mm
- For doors weighing up to 100kgs
- 5 year warranty
- Two valve speed control
- 90° hold open or non-hold open
- Extra thick cover plate
- Complete with double action fittings

Double action units come with **QS8811** (double action top centre) and **QS8815** (universal bottom strap) as standard. See page 131 for the full specifications of these accessories.









The **QS880** floorspring represents everything the QS brand stands for: great design, superb functionality and exceptional value for money.

05880

- For doors not bigger than 950mm 25Nm
- For doors not bigger than 1050mm 30Nm
- For doors weighing up to 150kgs
- 5 year warranty
- EN1154 compliant
- Two valve speed control
- 90° hold open or non-hold open
- Extra thick cover plate
- Complete with double action fittings



Double action units come with **QS8811** (double action top centre) and **QS8815** (universal bottom strap) as standard. See page 131 for the full specifications of these accessories.




The **QS895** is a hard-working, reliable and affordable floorspring for all bigger doors weighing up to 200kgs.

QS895

- For doors no bigger than 1200mm 35Nm
- For doors weighing up to 200kgs
- 5 year warranty
- EN1154 compliant
- Two valve speed control
- 90° hold open or non-hold open
- Extra thick cover plate
- Complete with double action fittings

Double action units come with **QS8811** (double action top centre) and **QS8815** (universal bottom strap) as standard. See page 131 for the full specifications of these accessories.




The **QS899V** is arguably the best floorspring available. Its 200kg adjustable 750 - 1200mm range combined with a 5 year warranty makes this the obvious choice on commercial projects.

Q899V

- For doors ranging from 750 1200mm
- For doors weighing up to 200kgs
- 5 year warranty
- EN1154 compliant
- Two valve speed control
- 90° hold open or non-hold open Extra thick cover plate
- Complete with double action fittings

Double action units come with **QS8811** (double action top centre) and **QS8815** (universal bottom strap) as standard. See page 131 for the full specifications of these accessories.






The **QS900** is a concealed transom closer. The ideal closer for double swing doors when floorsprings cannot be used. A must for hospital specifications as floorsprings provide a cavity for "wash down" water to accumulate and breed bacteria.

QS900

- For doors up to 1000mm 150kg
- 5 year warranty
- Suitable for high traffic areas
- 90° hold open or non-hold open
- Back check

QS900 comes with **QS5502** (pivot and bottom strap) for doors weighing up to 100kg. For extra heavy duty doors, or doors weighing in excess of 100kgs, we recommend the **QS8815** and the **QS5501** as an alternative. See page 131 for the full specifications of these accessories.



FLOORSPRING ACCESSORIES



QS8801 Single action top centre and strap. Available in left and right hand



QS8811
Double action top centre



QS8815
Double action door strap.
Available in standard and adjustable versions

PIVOTS

variants




QS5501 Roller bearing pivot for doors up to 250kg



Q5502Bottom pivot for doors less than 100kg





QS5504 pivot set Pivot set for doors up to 250kgs, consisting of the QS5501, QS8811 and QS8815





The **QS788** closer for tempered glass – combining bottom patch fitting and door closer in one. This cam-action closer eliminates the need for a floorspring and the floor preparation that goes with it greatly reducing the cost and installation of tempered glass doors.






QS788

- For doors up to 1000mm 100kgs
- Glass thickness 8 12mm
- 5 year warranty
- Cam action for smooth feel
- 150° angle of opening
- Double swing action
- Closing speed adjustable
- Checking speed adjustable
- 90° hold open option





panic hardware








QS430

QS410


- Max door capacity: 650mm 1389mm; 200kg
- 5 year warranty
- EN179 approved
- Non-handed design
- One lock point
- Stainless steel





QS400

- Max door capacity 2300x1000mm; 200kg
- 5 year warranty
- EN1125 and EN1634 approved
- In compliance with EN1125: 208
- Fire result: 376B2: 14422AB
- Non-handed design
- Stainless steel






QS400/1

Single door single point locking



Single door two point locking





QS400/3


















panic hardware




QS300

- Max door capacity 807x1076mm
- 5 year warranty
- Available in powder coated grey
- Reversable non-handed design



QS300/1








QS320

QS330

141





QS1501

Single towel bar



QS1509

Towel ring



QS1502

Double towel bar



QS1513

Single robe hook




QS1503

Glass shelf



QS1514

Double robe hook




QS1504

Towel shelf



QS1510Single tumbler holder



QS1508Toilet paper holder



QS1507

Double tumbler holder



QS1512Spare toilet paper holder



QS1511 Soap holder



QS1505Toilet brush holder



QS1506 Soap basket



QS1522 Single towel bar

550mm length



QS1526

Single tumbler holder



QS1524

Double towel bar 550mm length



QS1527

Soap holder



Glass shelf 520mm length



QS1521

Robe hook



QS1529



QS1525

Toilet brush holder



QS1530

Floor standing toilet brush holder



QS1523

Toilet roll holder



QS1528

Towel holder



QS1560

Economy bathroom set including towel rail, towel ring, soap dish and toilet roll holder, polished finish



QS1601

Straight grab bar 300mm



QS1602

Straight grab rail 750x80mm

QS1603

Straight grab rail 750x206mm



QS1604

Angle grab rail
Three sections of 300mm | 135°



QS1605

Dog leg rail 600mm

Satin stainless steel



QSX4200 smart lock

FEATURES

- Stainless steel lever handle on backplate
- Heavy-duty commercial lock and knob cylinder
- Biometric (fingerprint) reader optional
- Bluetooth mobile access through an app available on Android / iOS
- Digital keypad for passcode access
- Card or tag access
- Mechanical key override with euro profile cylinder and keyed-alike key
- Wireless installation
- Four AAA batteries required
- EN14846 rated for electromechanically operated locks and latches
- 1-year warranty



OVERVIEW

	HOTEL	AIR BNB	RESIDENTIAL/STUDENT	COMMERCIAL
BIOMETRICS			•	•
BLUETOOTH		•	•	
PASSCODE	•	•	•	•
TAG/CARD	•			
KEY	•	•	•	•

BENEFITS

- Passcode and card can be issued
- Manual key override for emergency access
- Lock record downloaded with app
- Up to 240 unlock records kept at a time
- Access can be removed instantly
- Bluetooth access sent remotely with time parameters
- Entry records are available on app
- Should no mobile device be available a passcode can be issued
- Access can be removed through app or master passcode

- Manage all rooms from app easily
- Set access through app easily
- Lock record available through app
- Tamper proof design
- Manual override for latch and deadbolt
- Master passcode can reset lock
- No mechanical key required

- Up to 50 users per lock can be set
- Lock record available through app
- Tamper proof design



QS

Doorware cc 12 Naaf Street Strijdom Park, 2194 Johannesburg

Tel: +27 11 792 3334 Fax: +27 11 792 9966

Email: sales@qsproducts.joburg www.qsproducts.za.com